




AC600 Wireless Dual Band USB Adapter

Get Fast & Reliable Wi-Fi Anywhere



Archer T2U

 150Mbps + 433Mbps
Dual Band Wi-Fi


 Mini Design

 USB 2.0

Highlights

AC600 Dual Band Wi-Fi

The Archer T2U receives Wi-Fi signals on two separate bands for all your online needs. Choose the 2.4GHz band for up to 150Mbps of surfing, emailing and social media, or switch to 5GHz for up to 433Mbps of HD streaming, lag-free gaming and large file downloads.




Mini, Mobile and Mighty

Much smaller than a flash drive, enjoy a stable and fast AC600 Wi-Fi wherever you need it.



&



Features



Speed

- **Fast Wi-Fi** – 150Mbps + 433Mbps wireless speeds are ideal for HD streaming video, lag-free gaming and large file downloads
- **802.11ac Support** – Wi-Fi technology that is 3 times faster than 802.11n



Design

- **Mini design** – The Archer T2U is very small and can be left in a computer's USB port once plugged in



Reliability

- **Dual Band** – Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference



Security

- **Active Defense** – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats



Ease of Use

- **Backwards Compatibility** – Supports routers utilizing 802.11 a/b/g/n Wi-Fi standards

Specifications

Wireless

- Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz
- Frequency: 2.4GHz, 5GHz
- Wireless Mode: Ad-Hoc / Infrastructure Mode
- Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
- Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM

Hardware

- Interface: USB 2.0
- LED: Status
- Dimensions: 1.6 × 0.7 × 0.3 in. (41 × 19.5 × 8.7 mm)

Others

- Package Contents
 - AC600 Wireless Dual Band USB Adapter Archer T2U
 - Quick Installation Guide
 - Resource CD
- Certification
 - FCC, CE, RoHS
- System Requirements
 - Windows 10/8.1/8/7/XP, Mac OS X 10.9-10.13
- Environment
 - Operating Temperature: 0 °C ~40 °C (32 °F ~104 °F)
 - Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)
 - Operating Humidity: 10%~90% non-condensing
 - Storage Humidity: 5%~90% non-condensing



Mac
Support



For more information, please visit

<http://www.tp-link.com/en/products/details/Archer-T2U.html>

or scan the QR code left

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright ©2018 TP-Link Technologies Co., Ltd. All rights reserved.

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network complexity, and network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download center at tp-link.com/en/download-center.

www.tp-link.com