Features



Speed

- Ultimate Wi-Fi Speeds with 867Mbps at 5GHz and 400Mbps at 2.4GHz band are ideal for HD streaming video, lag-free gaming and large file downloads
- MU-MIMO Technology Provides exceptional speed and performance even when multiple devices are connected to Wi-Fi
- · 802.11ac Support Wi-Fi technology that is 3 times faster than 802.11n



Reliabitlity

- Dual Band Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference
- Super Speed USB 3.0 Port Up to 10x faster than USB
 2.0



Backwards Compatibility – Supports routers utilizing 802.11a/b/g/n Wi-Fi standards



Security

 Active Defense – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats



Design

 Mini design – Archer T3U is very small and can be left in a computer's USB port once plugged in

Specifications

Wireless

- · Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz
- · Frequency: 2.4GHz, 5GHz
- · Wireless Mode: Ad-Hoc / Infrastructure Mode
- · Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
- · Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256-QAM

Hardware

· Interface: USB 3.0

· LED: Status

• Dimensions: 1.59 × 0.78 × 0.41in. (40.5 × 19.72 × 10.29mm)

Others

· Package Contents

AC1300 Mini Wireless MU-MIMO USB Adapter Archer T3U

Quick Installation Guide

Resource CD

· Certification

FCC, CE, RoHS

· System Requirements

Windows10/8.1/8/7/XP, Mac OS X 10.9-10.13

Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C ~70°C (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing





For more information, please visit

http://www.tp-link.com/en/products/details/Archer-T3U.html

or scan the QR code left

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2018 TP-Link Technologies Co., Ltd. All rights reserved.

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

*Use of MU-MIMO requires clients to also support MU-MIMO.

^{*}To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download center at tp-link.com/en/download-center.