



The rich portfolio of **GT NETWORK** meets all the U needs in the desired infrastructure to be installed. The GT NETWORK series is offered with the availability to meet all the needs and areas of use with the wide accessories options and the most ideal use of U heights.

THE CHARACTERISTIC FEATURES OF GT NETWORK

- >Meets the demands perfectly
- >Loading capacity: 600 kgs
- >Height Options: 12U – 42U
- >Width Option: 600mm
- >Depth Option: 600mm
- >Flatpack option
- >Easy assembly with the special design
- >plastic cable entry on the top and sliding cable entry on the bottom
- >Removable, openable, lockable side doors
- >Removable and fixable front wheels with breaks.
- >Max. load capacity of castors is 600 kgs/each





W-600 D-600 GTN Dikili Tip Network															
Product Code	Product Description	h Measurement (U)	Product Dimensions WxDxH (mm)	Width Between Rails (mm)	Depth Between Rails (mm)	h Measurement (mm)	Package Dimensions WxDxH (mm)	Number in the Package (pcs)	Product Net Weight (kg)	Product Gross Weight (kg)	Number on Pallet (pcs)	Pallet Dimensions WxDxH (mm)	Pallet Weight (kg)	Height with Leveling feet (mm)	Height with Caster Group (mm)
MR.GTN12U66.XX	12U W=600mm D=600mm Dikili tip NETWORK Kabinet	12U	600x600x670	600	600	492	600x600x690	1	38	40	2	600x600x790	80	990	990
MR.GTN16U66.XX	16U W=600mm D=600mm Dikili tip NETWORK Kabinet	16U	600x600x848	600	600	670	600x600x868	1	46	48	2	600x600x968	96	1068	1068
MR.GTN20U66.XX	20U W=600mm D=600mm Dikili tip NETWORK Kabinet	20U	600x600x1026	600	600	848	600x600x1046	1	54	56	2	600x600x1146	112	1146	1146
MR.GTN22U66.XX	22U W=600mm D=600mm Dikili tip NETWORK Kabinet	22U	600x600x1115	600	600	937	600x600x1135	1	58	60	2	600x600x1235	120	1235	1235
MR.GTN26U66.XX	26U W=600mm D=600mm Dikili tip NETWORK Kabinet	26U	600x600x1292	600	600	1115	600x600x1312	1	65	67	1	600x600x1412	69	1412	1412
MR.GTN32U66.XX	32U W=600mm D=600mm Dikili tip NETWORK Kabinet	32U	600x600x1559	600	600	1381	600x600x1579	1	77	79	1	600x600x1679	89	1679	1679
MR.GTN36U66.XX	36U W=600mm D=600mm Dikili tip NETWORK Kabinet	36U	600x600x1737	600	600	1559	600x600x1757	1	85	87	1	600x600x1857	97	1857	1857
MR.GTN42U66.XX	42U W=600mm D=600mm Dikili tip NETWORK Kabinet	42U	600x600x2004	600	600	1826	600x600x2024	1	97	102	1	600x600x2124	110	2124	2124

xx= Color Code, 22 means Light Grey Ral 7035 and 11 means Black RAL 9005, the code is added by the customer at the order.


The door width to be selected should be selected among the door options with the related surface dimensions
When one of the door options is selected, it should be informed at the order width its selected surface

The number 0 from the door. Options stands for "doorless" The standart door options.

Front door=11, Side Door=8 Rear door=6



W=600 DOOR OPTIONS



W=800 , W=1000 DOOR OPTIONS